

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:	)	
	:	Examiner: Lyle ALEXANDER
Cary James MILLER, et al.	)	
	:	Art Unit: 1743
Application No.: 10/658,528	)	
	:	Confirmation No.: 1959
Filed: September 10, 2003	)	
	:	
For: IMMUNOASSAY DEVICE WITH	)	August 7, 2009
IMPROVED SAMPLE CLOSURE	:	
	:	
	)	

**MAIL STOP AMENDMENT**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450


**SUPPLEMENTAL AMENDMENT SUBMITTING REPLACEMENT DRAWINGS**

Sir:

Further to the Amendment filed on July 9, 2009, submitted herewith are fourteen sheets of replacement drawings comprising FIGS. 1-24. Please include these replacement sheets as part of the specification. These replacement drawings replace the drawings presently on file in the above-identified application. No new matter has been added.

Applicants' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 625-3620. All correspondence should continue to be directed to the below-listed address.

Respectfully submitted,



Attorney for Applicants  
Jeffrey T. Gendzwill  
Registration No. 55,201

**Please address all correspondence to:**  
Patent Administrator  
KATTEN MUCHIN ROSENMAN LLP  
2900 K Street, NW, Suite 200  
Washington, DC, 20007-5118  
Customer Number: 27160